

Women & Infants COVID-19 Flow Chart

If patient leaves AMA, please inform local public health agency:

- 314-612-5289 (days)
- 314-972-2794 (nights/weekends)



Updated and Approved 04-13-2020 0915



Tent Risk Category Guide

If no

High Risk (1)

High risk symptoms

• Febrile > 99.9 F

or

New respiratory symptoms in last 7d

OR

Any other symptoms

- Upper back/shoulder blade pain
- Body/muscle ache
- Loss of smell or taste
- Vomiting or Diarrhea

and

Any high risk exposures

- Known exposure to +COVID person within 14 days
- Been outside St. Louis area in last 14 days
 - In a top 10 endemic state*

01

- By public travel (air, train, etc).
- Have not been social distancing in last 14 days (have been to any large gatherings)
- Someone in household sick

Intermediate Risk (2)

Any other symptoms

- Upper back/shoulder blade pain
- Body/muscle ache
- Loss of smell or taste
- Vomiting or Diarrhea

OR

Any high risk exposures

- Known exposure to +COVID person within 14 days
- Been outside St. Louis area in last 14 days:
 - In a top 10 endemic state* or
 - By public travel (air, train, etc).
- No social distancing in last 14 days (attending gatherings, functions, parties)
- Someone in household sick

Low Risk (3)

Answers NO to all screening questions

OR

No symptoms

AND

Low risk exposures:

- Known exposure to +COVID person more than 14 days ago
- Been outside St. Louis area in last 14 days:
 - Not in a top 10 endemic state* or by public travel and
 - Practicing strict social distancing
- Someone in household sick but has other known diagnosis or is known COVID neg


AND

 Adherent to social distancing in last 14 days Unknown Risk (4)

If no

If no

Risk Category Workflow



Patient is not PUI and needs further evaluation

Keep mask on and proceed to 5800 if other evaluation needed


Unresponsive or critically ill patient requiring immediate emergent care:

Call an ACT for WAC tent


AND

Call Airway Team PVT 314-874-2582

Tent Testing Algorithm



OB COMM CENTER PRE-ADMIT COVID SCREENING



further actions needed

ED Delivery of COVID+ or PUI mom

Pre-arrival:


- OB and Pediatrics to bring head and face PPE and don prior to entry to ED— "to go bag" on L&D
- ORANGE STICKERS goes on hair bouffant





- Ohio table will be brought into room. Placed as far away from OB patient as possible while still allowing for table to be used appropriately.
- Pediatric crash cart should not be brought into the room. (Have outside room for any necessary items to be obtained). Peds will bring their own supplies into room.
- Bring smaller airway cover box (both if available, one to place over baby if intubation of mom/baby needed)





ED Delivery of COVID+ or PUI mom

Delivery:

- One nurse and one physician from each team (OB/Peds) will don gown and gloves. They will then enter room. Delivery to be performed by 1 ED MD and 1 OB MD unless more help needed.
- All other team members will be present in the doorway.
- Once need for additional staff established they will don appropriate PPE.
- After delivery, remove as many personnel as possible to limit exposure. Pull drape if possible.

Intubation:

 Only essential staff to remain in room, this would typically be the ED attending, a respiratory therapist and an ED nurse to push medications.

Trauma Anesthesia:

• If needed (for epidural etc) - Direct number is 314 747 4363

ED Delivery of COVID+ or PUI mom

Team work and communication:

- Labels to be worn by all present.
- Use closed loop communication
- May need to speak up as extra noise present due to HEPA filters
- Possibly designate one person outside of the room to be the "go between for communication"

ED team will call COVID attending to call report

- Two team member transport.
- Team member 1: is wearing appropriate PPE in case contact with patient is required
- Team member 2: is clean to push all buttons on elevators
- Patient is either masked or intubated

ED COVID Delivery Simulation Video: https://vimeo.com/402647825/8163d2902f

Process to obtain expressed breast milk from COVID+/PUI mom

- Meet mom in designated drop-off point outside the hospital (SLCH: outside front circle)
- Staff member who collects milk should wear gloves and facemask
- Staff member should have milk bottles dumped into larger plastic bag for transport back to Nursery
- Bottles should be wiped thoroughly with wipes from gray-topped container or suitable substitute and stored according to local process