

Copyright by The University of Chicago Medical Center. All rights reserved. No part of this publication may be reproduced without permission in writing from The University of Chicago Medical Center.

Disclaimer: Clinical pathways are designed to standardize care of patients based on publicly available medical evidence and/or consensus of medical professionals at The University of Chicago Medical Center (UCM). Clinical pathways are not meant to replace clinical judgment and patients should be managed accordingly, based on their individual needs. The application does not provide medical advice, does not make diagnostic, treatment, or other clinical decisions or judgments, and is not a substitute for the competent analysis and professional judgment of health care professionals. Clinical pathways may not represent the most recent evidence available. UCM is not responsible for any errors or omissions within the pathway or for any patient outcomes where a clinician consulted the pathway during patient care.

Pathway Contacts: Abbe Kordik, MD and Allison Bartlett, MD
QPI Contact: Joan Liput
Last Updated: 4/20/2020

- ### Resources & Updates
- [Family Birth Center and NICU Quickstart Information](#)
 - [Management of PUI/Confirmed Mothers and Exposed Infants](#)
 - [UCM Coronavirus \(COVID-19\) Resource Center](#)
 - [UCM video: How to don and doff Personal Protective Equipment \(PPE\)](#)
 - [Dr. Stork Response & Transfers Between Adult/Comer ED and Labor & Delivery](#)
 - [Comer OR 1 Usage for PUI/COVID-19: RN Checklist](#)
- For clinical questions regarding the care of COVID PUI or COVID patients, [Page COVID-19 Resource Team \(p. 30028\)](#)
- Recent Updates:
- 4/16/2020:
 - Added step for patients who transfer-in
 - Added instructions for when to test readmitted patients who were already tested:
 - If patient tested positive for COVID+ within the last 30 days and is readmitted, consider repeating COVID-19 testing if at least 7 days from positive test and patient is asymptomatic
 - If patient previously tested negative, consider repeat testing if >48 hours from last test
 - Added link to talking points and patient education to use when discussing separation from baby if patient tests COVID+
 - Added link to the Post Delivery Infant Care & Breastfeeding SOPs for COVID+ and PUI patients
 - Added sign to hang on the door when conducting aerosol generating procedures
 - [Archived updates](#)

