




2. Hospital & QI Team Overview

Lisa Davis, NNP, Brent Reifsteck, MD, Jamie Summers, NNP, Nicole Spangler, NNP




Derrick Rollo, William Stratton, Chantel Ellis, Sarah Church, Tiffany St. John, Kaci Lowery, Leslie Presler, Yafang Cheng, Jenny Brandenburg, Krysteen Cunningham, Shelby Carrington, Allison Hanson, Lisa Seigwald

3. MNO-Neo Data




4. MNO-Neo Progress

NAS Assessment Tools



| NICU RN Admit | Neo In/Out Feeding | Neo Dietitian Assess | Neo OT | Abstinence Score | ESC Assessment | Neo PT | SLP NICU | ESC Assessment |
|---|--------------------|----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----------------|
| Expanded | View All | | | | 9/12/19 | | | Reset Now |
| | | 0900 | 1000 | 1200 | 1300 | 1500 | 1600 | 1800 |
| Eat, Sleep, Console | | | | | | | | |
| Poor eating due to NAS? | Yes | Yes | No | Yes | Yes | Yes | Yes | |
| Sleep <1 hour due to NAS? | yes | yes | no | yes | yes | yes | yes | |
| Unable to console within 10 min due to NAS? | no | no | no | no | no | no | yes | |
| Soothing support used to console infant | 2: soothes with... | 2: soothes with... | 2: soothes with... | 2: soothes with... | 2: soothes with... | 2: soothes with... | 3: soothes with... | 2: soot |
| Parent / Caregiver presence since last | 1: 1 - 59 minutes | 1: 1 - 59 minutes | 0: no parent pr... | 0: no parent pr... | 2: soothes with... | 3: soothes with... | | |
| Recommend a Team Huddle? | yes | yes | yes | no | no | yes | | |
| Management Decision | 1 | 1 | 1 | 1 | 1 | 2 | | |
| Non-pharmacologic interventions | parental prese... | parental presence in | skin-to-skin co... | skin-to-skin co... | skin-to-skin co... | skin-to-skin co... | | |

Review of all NAS cases



5. Coordinated Discharge

Coordinated, safe discharge.

- 4-7 days of inpatient monitoring for infants **who do not require pharmacotherapy**
 - 48 hours of inpatient monitoring after pharmacotherapy for infants who **require pharmacotherapy**
 - The infant should feed well and gain weight over two consecutive days
 - Consultation with social work or hospital equivalent completed
 - Scheduled a developmental follow-up appointment and/or physical and occupational therapy appointments as applicable
- Family understanding components of **MNO Collaborative Discharge Plan**
- Importance and benefits of breastfeeding, unless contraindicate
 - Developmental follow-up, physical and occupational therapy
 - Safe sleep practice and non-accidental trauma
- Completion of **MNO Collaborative Discharge Plan** in partnership with care team, family, and community pediatrician.
- Coordination and clearance with Illinois Department of Children and Family Services (DCFS) completed, as applicable

6. BASIC

Lisa Davis, APN, William Stratton, MD, Audra Armstrong, APN, Nicole Spangler, APN

- iNICQ Antibiotic Stewardship 2016-2018
- EOS calculator for all babies >34 weeks in NICU and NBN at risk in place
- Goal: EOS calculator for all babies in NBN; EPIC calculation of EOS components.
- Aim: to decrease AUR in NICU