

SAVE ALIFE.

Overdose is now the leading cause of death for pregnant and postpartum women in Illinois.



HOW TO PRESCRIBE

- Order Naloxone/Narcan 4mg/0.1mL Administer spray x 1 intranasally Repeat in alternate nostril if no response after 2-3 minutes.
- Dispense quantity 2
- Allow for 2 refills
- When prescribing at delivery discharge, consider "med to bed" programs so medication can be provided to patient before discharge home.

Visit ilpqc.org MNO initiative or email info@ilpqc.org

NARCAN/NALOXONE

ы	Narcan/Naloxone is an approved medication for the
Å	treatment of opioid overdose and is a key risk
H	reduction strategy that reduces overdoses and save
5	lives. It is safe and easy to use.

\bigcirc
Ť.
Щ
\geq
\sim

OB providers should counsel and prescribe Narcan/Naloxone for all patients with Opioid Use Disorder (OUD) and co-prescribe for all patients taking opioids regularly.

~
\leq
5
\leq
E.

Share with patients that it is important for all women who are prescribed opiods or have OUD to stay safe because opioid medications can cause slowed breathing and even overdose. Narcan/Naloxone is an antidote that can reverse an overdose. Having this medication on hand can be

life saving for patients and their friends or family.



Scan here for a sample script for Narcan/Naloxone