

MNO- OB

Draft

Key Driver

Diagram

AIM

Optimize the care of mothers with opioid use disorder (OUD) and their infants during the prenatal & postpartum periods by providing screening and comprehensive care

KEY DRIVERS

Early screening of all pregnant women (SBIRT)

Linkage to Care:
Access OUD Tx Programs

Optimize Care for Women with OUD:
Best practices in clinical care

Provider education

Patient education and engagement

Prevention

INTERVENTIONS

- Select validated tool
- Train staff to use tool
- Evaluate need for wraparound services
- Assess and link women with OUD (screen positive) to OB & OUD treatment services
- Map local resources and establish protocols for referral
- Perform screening for infectious & psychiatric co-morbidities

- Identify coordinator to be liaison between community partners and clinicians for:
 - Linkage to local support resources
 - Resources for transportation, food & housing
- Coordinate access to mental health services
- Establish plan of safe care for women with OUD and their families

- Develop clinical protocols for OUD women for antepartum/intrapartum/postpartum periods and in different settings—in-patient/out-patient/ED
- Screening for infectious & psychiatric co-morbidities
- Develop prescribing protocols for pain management for both vaginal & cesarean deliveries
- Establish referral path for OUD services including follow up
- Provide lactation support to women on psychotherapy & MAT

- Develop provider/staff training:
 - Screening
 - Stigma of OUD
 - MAT & related issues
 - Intra- & post-partum management
 - Neonatal Management/NAS

- Develop & provide patient education about OUD, NAS, & treatment
- Develop reproductive life plan for all women
- Coordinate wraparound services
- Ensure priority access to home visiting for women w/OUD

- Educate all providers: OUD / stigma / "pause before you prescribe resource", reduce opioid use post-delivery
- Educate all patients: OUD / expectations and strategies for pain control after delivery resource
- Compliance with state law: document PMP lookup when prescribe any narcotic
- Clinical guidelines to promote reduction of opioid use after delivery