

# Postpartum LARC Documentation for Physicians:

Example of Cerner EMR Revisions for  
Tracking and Documentation of IPLARC

Shared by Advocate Illinois Masonic Medical Center

# Postpartum Vaginal Delivery IUD Insertion

The screenshot displays a medical software interface for creating a new note. The window title is "PRD-RADNET, TESTONE - Opened by BASKIN-MD, RACHEL L". The patient information bar shows "PRD-RADNET, TESTONE" and "Allergies: Allergies Not Recorded". The "Documentation" section is active, and a "New Note" form is open. The form includes a "Type" dropdown set to "Procedure Report" and a "Date" field set to "11/30/2017". The "Title" field contains "Postplacental IUD Insertion". Below the title, there are tabs for "Encounter Pathway", "Existing", "Completed", "Catalog", "Recent", and "Favorites". A search bar contains the text "iud", with a blue arrow pointing to it. The search results table is visible at the bottom of the form.

Title	Encounter pathway	Shared	Last changed by	Perform/Service Date/Time	Sentences
Postplacental IUD Insertion	Custom Freetext Note - AHC	Y	Joseph-RN, Janice	09/28/2017 11:11:30	

At the bottom of the window, the status bar shows "P421 A50333 November 30, 2017 15:49".

# Vaginal Delivery Note Template

Use F3 to toggle to next underscore

Will need to delete irrelevant portions  
-Ex. Manual vs instrument placement

PRD-RADNET, TESTONE - Opened by BASKIN-MD, RACHEL L

Task Edit View Patient Chart Notifications Documentation Term Tools Help

Message Center Physician Handoff Patient List Tracking Shell Doctors OnLine MIDAS Tear Off Exit Calculator Message Sender AdHoc Depart Communicate

PRD-RADNET, TESTONE x

PRD-RADNET, TESTONE Age: Gender: DOB: Allergies: Allergies Not Recorded

Attending: Isolation: Dose Weight: Actual Weight:

Menu Documentation Full screen Print 0 minutes ago

Notifications Workflow Summaries Specialty Summaries Results Review Reports & Summaries MAR Summary Medication Manager iView / I8:0 Orders Documentation CareNet+ Inpatient CareNet+ Outpatient CareNet+ Imaging Advanced Growth Ch Appointments Chart Search Diagnosis and Problem Discharge Planning Form Browser Histories MultiMedia Manager Newborn Discharge Patient Info Plan of Care Summary

Postplacental IUD Insertion x List

Arial 9

PRE-OP DIAGNOSIS: Desired long-term, reversible contraception  
POST-OP DIAGNOSIS: Same  
PERFORMED BY: \_  
SUPERVISED BY: \_

PROCEDURE PERFORMED: Postplacental intrauterine device insertion  
FINDINGS: No abnormal findings  
SPECIMENS REMOVED: None  
EBL: Please see delivery note  
BLOOD ADMINISTERED: No  
COMPLICATIONS: None  
GRAFTS/IMPLANTS: \_Mirena intrauterine device \_Paragard intrauterine device  
Serial# \_ Expiration Date \_

ANESTHETIC UTILIZED: Please see delivery note

PROCEDURE:

\_Instrument placement note  
Immediately following delivery of the placenta and uterine massage, the cervix was visualized and cleansed with Betadine. The anterior lip of the cervix was grasped with the ring forceps. The IUD was gently grasped with a ring forceps. The IUD was advanced to the uterine fundus while gentle downward pressure was placed on the uterine fundus abdominally. The ring forceps was carefully rotated 45 degrees and moved laterally as removed from the uterine cavity so as not to disrupt IUD placement. \_Fundal placement was confirmed with the ultrasound. \_The Mirena IUD strings were trimmed to the level of the cervix. The patient tolerated the procedure well. Please see separate delivery note for further details.  
\*No string trimming necessary for paragard

\_Manual placement note  
Immediately following delivery of the placenta, the cervix was visualized and cleansed with Betadine and a new set of sterile gloves was put on. The IUD was removed from the inserter and placed between the index and middle fingers. The IUD was gently inserted up to the uterine fundus with the non-dominant hand on the abdomen, stabilizing the uterus. Fundal placement was assured by feeling the device impact through the abdominal wall. The inferal hand was then rotated 15 degrees to avoid displacing the IUD. \_Fundal placement confirmed by the ultrasound. \_The Mirena IUD strings were trimmed to the level of the cervix. The patient tolerated the procedure well. Please see separate delivery note for further details.  
\*No string trimming necessary for paragard

Note Details: Procedure Report, BASKIN-MD, RACHEL L, 11/30/2017 15:49, Postplacental IUD Insertion

Sign/Submit Save Save & Close Cancel

P421 A50333 November 30, 2017 15:50

# Postpartum Cesarean Section IUD Insertion

The screenshot shows a medical software interface for documenting a procedure. The window title is "PRD-RADNET, TESTONE - Opened by BASKIN-MD, RACHEL L". The interface includes a menu bar (Task, Edit, View, Patient, Chart, Notifications, Documentation, Term, Tools, Help) and a toolbar with various icons. The main content area is titled "PRD-RADNET, TESTONE" and contains patient information: Age, Gender, DOB, Allergies Not Recorded, Attending, Isolation, and Actual Weight. A sidebar on the left lists various menu items, with "Documentation" selected. The "Documentation" section is expanded to show "IUD" with a "List" button. The main text area contains the following patient information: Patient: PRD-RADNET, TESTONE; Age: Sex: DOB: ; Associated Diagnoses: None; Author: BASKIN-MD, RACHEL L. A "Manage Auto Text" button is visible in the top right of the text area. At the bottom, there are buttons for "Sign/Submit", "Save", "Save & Close", and "Cancel". The status bar at the bottom right displays "P421 AS0333 November 30, 2017 15:51". A large blue arrow points from the top right towards the "Allergies Not Recorded" field.

# Add A Dot Phrase

Manage Auto Text

Show Auto Text Notifications

My Phrases Public Phrases

+ Search Auto Text

Abbreviation	Description
.csiud	Cesarean section IUD placement
xxmdattestatio	
xxobtriage	

Abbreviation Description

Auto Text Phrase

Edit... Duplicate... Delete

Previous 1 Next

# Cesarean Section Dot Phrase

The screenshot shows the 'Manage Auto Text' application window. The window title is 'Manage Auto Text'. In the top right corner, there is a checkbox labeled 'Show Auto Text Notifications' which is checked. The main area is divided into two panes. The left pane has two tabs: 'My Phrases' (selected) and 'Public Phrases'. Below the tabs is a search bar with a magnifying glass icon and the text 'Search Auto Text'. Below the search bar is a table with two columns: 'Abbreviation' and 'Description'. The table contains three rows: the first row is highlighted in blue and contains '.csiud' and 'Cesarean section IUD placement'; the second row contains 'xxmdattestatio'; and the third row contains 'xxobtriage'. At the bottom of the left pane are three buttons: 'Previous', '1', and 'Next'. The right pane has three buttons at the top: 'Edit...', 'Duplicate...', and 'Delete'. Below these buttons is a table with two columns: 'Abbreviation' and 'Description'. The table contains one row with '.csiud' and 'Cesarean section IUD placement'. Below the table is a section titled 'Auto Text Phrase' with a horizontal line. The text in this section reads: 'Immediately following delivery of the infant and the placenta, the uterus was wiped with a sterile laparotomy sponge. A \_ IUD was placed on the sterile field. \_The Mirena IUD strings were trimmed approximately 10 cm length. The IUD was inserted through the hysterotomy using a ring forceps and placed at the uterine fundus. Placement was confirmed digitally. The IUD strings were gently pushed through the cervical canal with a ring forceps. The hysterotomy was then closed, careful to not include the IUD strings in the closure.' Below this text is a note: '\*No string trimming necessary for paragard'. At the bottom of the right pane are two labels: 'Lot #' and 'Exp:'.

Manage Auto Text

My Phrases Public Phrases

+ Search Auto Text

Abbreviation	Description
.csiud	Cesarean section IUD placement
xxmdattestatio	
xxobtriage	

Previous 1 Next

Edit... Duplicate... Delete

Abbreviation	Description
.csiud	Cesarean section IUD placement

Auto Text Phrase

Immediately following delivery of the infant and the placenta, the uterus was wiped with a sterile laparotomy sponge. A \_ IUD was placed on the sterile field. \_The Mirena IUD strings were trimmed approximately 10 cm length. The IUD was inserted through the hysterotomy using a ring forceps and placed at the uterine fundus. Placement was confirmed digitally. The IUD strings were gently pushed through the cervical canal with a ring forceps. The hysterotomy was then closed, careful to not include the IUD strings in the closure.

\*No string trimming necessary for paragard

Lot #  
Exp:

# Using Dot Phrases

The screenshot displays a medical software interface for documentation. The window title is "PRD-RADNET, TESTONE - Opened by BASKIN-MD, RACHEL L". The interface includes a menu bar (Task, Edit, View, Patient, Chart, Notifications, Documentation, Term, Tools, Help) and a toolbar with various icons. The main content area is titled "PRD-RADNET, TESTONE" and contains patient information: Age, Gender, DOB, Allergies: Allergies Not Recorded, Attending, Isolation, Dose Weight, and Actual Weight. A left sidebar lists navigation options such as Notifications, Workflow, Summaries, and Documentation. The central text area is titled "IUD" and contains the following text: "Patient: PRD-RADNET, TESTONE", "Age: Sex: DOB:", "Associated Diagnoses: None", "Author: BASKIN-MD, RACHEL L", and ".cs". A blue selection box highlights the ".cs" text. At the bottom, there are buttons for "Sign/Submit", "Save", "Save & Close", and "Cancel". The status bar at the bottom right shows "P421 A50333 November 30, 2017 15:53".

# Add to Operative Note

The screenshot displays a medical software interface for documenting an operative note. The patient's name, PRD-RADNET, TESTONE, is prominently displayed at the top. The note's content is as follows:

**Patient:** PRD-RADNET, TESTONE  
**Age:** Sex: DOB:  
**Associated Diagnoses:** None  
**Author:** BASKIN-MD, RACHEL L

Immediately following delivery of the infant and the placenta, the uterus was wiped with a sterile laparotomy sponge. A IUD was placed on the sterile field. The Mirena IUD strings were trimmed approximately 10 cm length. The IUD was inserted through the hysterotomy using a ring forceps and placed at the uterine fundus. Placement was confirmed digitally. The IUD strings were gently pushed through the cervical canal with a ring forceps. The hysterotomy was then closed, careful to not include the IUD strings in the closure.

\*No string trimming necessary for paragarad

Lot #  
Exp|

The interface includes a left-hand menu with categories like Notifications, Workflow, and Documentation. The bottom status bar shows the note details: Procedure Report, BASKIN-MD, RACHEL L, 11/30/2017 15:51, IUD. The system clock at the bottom right indicates the date and time as P421 AS0333 November 30, 2017 15:54.



# Cesarean Section Dot Phrase Template

Immediately following delivery of the infant and the placenta, the uterus was wiped with a sterile laparotomy sponge. A \_ IUD was placed on the sterile field. \_ The Mirena IUD strings were trimmed approximately 10 cm length. The IUD was inserted through the hysterotomy using a ring forceps and placed at the uterine fundus. Placement was confirmed digitally. The IUD strings were gently pushed through the cervical canal with a ring forceps. The hysterotomy was then closed, careful to not include the IUD strings in the closure.

\*No string trimming necessary for paragard

Lot #

Exp:

# Nexplanon Insertion Note

PRD-RADNET, TESTONE - Opened by BASKIN-MD, RACHEL L

Task Edit View Patient Chart Notifications Documentation Term Tools Help

Message Center Physician Handoff Patient List Tracking Shell Doctors OnLine MIDAS Tear Off Exit Calculator Message Sender AdHoc Depart Communicate

PRD-RADNET, TESTONE Age: Gender: DOB: Allergies: Allergies Not Recorded

MRN: Isolation: Dose Weight: Actual Weight:

Attending: Full screen Print 0 minutes ago

Menu

- Notifications
- Workflow
- Summaries
- Specialty Summaries
- Results Review
- Reports & Summaries
- MAR Summary
- Medication Manager
- iView / I&O
- Orders
- Documentation**
- CareNet+ Inpatient
- CareNet+ Outpatient
- CareNet+ Imaging
- Advanced Growth Chart
- Appointments
- Chart Search
- Diagnosis and Problem
- Discharge Planning
- Form Browser
- Histories
- MultiMedia Manager
- Newborn Discharge Summary
- Patient Info
- Plan of Care Summary

Documentation

New Note List

Hide Note Details

Type: Procedure Report

Date: 11/30/2017 1545

Title: Postpartum Nexplanon Insertion Note

Encounter Pathway Existing Completed Catalog Recent Favorites

Search: nexplanon Contains

Restricted display by:

- My notes only
- Note Type
- Associated Diagnosis
- Recent
- Favorites

Add to Favorites Delete

Title	Encounter pathway	Shared	Last changed by	Perform/Service Date/Time	Sentences
Postpartum Nexplanon Insertion Note	Custom Freetext Note - AHC	Y	Joseph-RN, Janice	09/12/2017 12:16:08	

OK Cancel

P421 A50333 November 30, 2017 15:45

# Nexplanon Note Template

Use F3 to toggle to next underscore

The screenshot displays a medical software interface for a patient named PRD-RADNET, TESTONE. The interface includes a menu on the left, a top navigation bar, and a main content area for documentation. The documentation area shows a note titled "Postpartum Nexplanon Inser..." with the following text:

Patient: PRD-RADNET, TESTONE  
Age: Sex: DOB:  
Associated Diagnoses: None  
Author: BASKIN-MD, RACHEL L

PRE-OP DIAGNOSIS: Desired long-term, reversible contraception  
POST-OP DIAGNOSIS: Same  
PERFORMED BY:  
SUPERVISED BY:

PROCEDURE PERFORMED: Nexplanon placement  
FINDINGS: No abnormal findings  
SPECIMENS REMOVED: None  
EBL: \_ mL  
BLOOD ADMINISTERED: No  
COMPLICATIONS: None  
GRAFTS/IMPLANTS: Nexplanon Device  
Site (check):  Right Arm  Left Arm  
Serial # \_ Expiration Date

ANESTHETIC UTILIZED: Lidocaine 1% without epinephrine

PROCEDURE:  
Appropriate consent and time out was obtained.  
Insertion site was selected 8 – 10 cm from medial epicondyle and marked along with guiding site.  
Procedure area was prepped with betadine. 2 mL of 1% lidocaine was used for subcutaneous anesthesia. Anesthesia confirmed.  
Nexplanon trocar was inserted subcutaneously and then Nexplanon capsule delivered.  
Trocar was removed from the insertion site.  
Nexplanon capsule was palpated by provider and patient to assure satisfactory placement.  
A gauze and tape dressing was applied.  
The patient tolerated the procedure well without complications. Standard post-procedure care is explained and return precautions are given.

At the bottom of the note, there are buttons for "Sign/Submit", "Save", "Save & Close", and "Cancel". The status bar at the bottom right shows "P421 AS0333 November 30, 2017 15:49".

# Billing on AlertMD for IUD

AT&T LTE 12:05 PM 83%

< CPT Entry

**Contraceptive Proc and Supplies** ^

**J7298**  
Levonorgestrel-Releasing Intrauterine Contraceptive System, 52 Mg, 5 Year Duration

**J7300**  
Intrauterine Copper Contraceptive

**J7301**  
Levonorgestrel-Releasing Intrauterine Contraceptive System, 13.5 Mg

**J7306**  
Levonorgestrel (Contraceptive) Implant System, Including Implants And Supplies

**J7307**  
Etonogestrel (Contraceptive) Implant System, Including Implant And Supplies


**58300**  
INSERTION INTRAUTERINE DEVICE IUD

**11981**  
INSJ NON-BIODEGRADABLE DRUG DELIVERY IMPLANT

**58301**  
REMOVAL INTRAUTERINE DEVICE IUD

**Hospital Post Partum** v

History Favorites Search



# Billing on AlertMD for IUD

AT&T LTE 12:05 PM 82%

< ICD-10 Entry

- Drug, Alcohol, Mental Cond Antepartum >
- HTN & Obesity in Pregnancy >
- IUFD Missed AB >
- Newborn Care codes >
- Normal Pregnancy Codes >
- PTL, PROM, Presentation >
- Sterilizations >
- Contraception >

**Z30.430**  
U Encounter for insertion of intrauterine contraceptive device

**Z30.019**  
U Encounter for initial prescription of contraceptives

**Z30.8**  
U Encounter for other contraceptive management

Most Used History Favorites Search



# Billing on AlertMD for Nexplanon

AT&T LTE 12:05 PM 83%

< CPT Entry

**Contraceptive Proc and Supplies** ^

**J7298**  
Levonorgestrel-Releasing Intrauterine Contraceptive System, 52 Mg, 5 Year Duration

**J7300**  
Intrauterine Copper Contraceptive

**J7301**  
Levonorgestrel-Releasing Intrauterine Contraceptive System, 13.5 Mg

**J7306**  
Levonorgestrel (Contraceptive) Implant System, Including Implants And Supplies

**J7307**  
Etonogestrel (Contraceptive) Implant System, Including Implant And Supplies


**58300**  
INSERTION INTRAUTERINE DEVICE IUD

**11981**  
INSJ NON-BIODEGRADABLE DRUG DELIVERY IMPLANT

**58301**  
REMOVAL INTRAUTERINE DEVICE IUD

**Hospital Post Partum** v

History Favorites Search



# Billing on AlertMD for Nexplanon

AT&T LTE 12:05 PM 82%

< ICD-10 Entry

- Drug, Alcohol, Mental Cond Antepartum >
- HTN & Obesity in Pregnancy >
- IUFD Missed AB >
- Newborn Care codes >
- Normal Pregnancy Codes >
- PTL, PROM, Presentation >
- Sterilizations >
- Contraception >

**Z30.430**  
Encounter for insertion of intrauterine contraceptive device

**Z30.019**  
Encounter for initial prescription of contraceptives

**Z30.8**  
Encounter for other contraceptive management

Most Used History Favorites Search



# Billing For Devices

- Will be done on paper by nursing staff